

11/07/00

11-018-00

4

USPTO  
JCS61 U.S. PTO  
11/07/00

# UTILITY PATENT APPLICATION TRANSMITTAL

Attorney Docket No. CROSS1360-1  
First Inventor or Application Identifier Steve King, et al.  
Title A Method for Routing HTTP and FTP Services Across Heterogeneous Networks  
Express Mail Label No. EL562561698US

JCS61 U.S. PTO  
11/07/00  
09/707426

(Only for nonprovisional applications under 37 CFR § 1.53(b))

## APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

## ADDRESS TO:

Box Patent Application  
Assistant Commissioner for Patents  
Washington, D.C. 20231

1. ☒ Fee Transmittal for FY 2000  
(Submit an original and a duplicate for fee processing)
2. ☒ Specification [Total Pages] **31**  
(preferred arrangement set forth below)
  - x - Descriptive Title of the Invention
  - Cross References to Related Applications
  - Statement Regarding Fed sponsored R & D
  - Reference to Microfiche Appendix
  - x - Background of the Invention
  - x - Brief Summary of the Invention
  - x - Brief Description of the Drawings (if filed)
  - x - Detailed Description
  - x - Claim(s)
  - x - Abstract of the Disclosure
3. ☒ Drawing(s) (35 USC 113) [Total Sheets] **4**
4. Oath or Declaration [Total Pages] **X**
  - a. ☒ Newly executed (original or copy)
  - b. ☐ Copy from a prior application (37 CFR 1.63(d))  
(for continuation/divisional with Box 17 completed)
    - i. ☐ **DELETION OF INVENTOR(S)**  
Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b)
  - ☐ Incorporation By Reference (useable if box 4b is checked). The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered to be part of the disclosure of the accompanying application and is hereby incorporated by reference therein.

6. ☐ Microfiche Computer Program (Appendix)
7. Nucleotide and Amino Acid Sequence Submission (if applicable, all necessary)
  - a. ☐ Computer-Readable Copy
  - b. ☐ Paper Copy (identical to computer copy)
  - c. ☐ Statement verifying identity of above copies

## ACCOMPANYING APPLICATION PARTS

8. ☒ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement (when there is an assignee) ☐ Power of Attorney
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard
14. ☐ Small Entity Statement(s) ☐ Statement filed in prior application, Status still proper and desired
15. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)
16. ☒ Other: Certificate of Express Mail  
Check Nos. 459332 & 459331

## 17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information below and in a preliminary amendment

☐ Continuation ☐ Divisional ☐ Continuation-In-Part (CIP) of prior Application No.: \_\_\_\_\_  
Prior application information: Examiner \_\_\_\_\_ Group / Art Unit \_\_\_\_\_

☒ Claims the benefit of Provisional Application No. 60/202,717; filed May 8, 2000

## CORRESPONDENCE ADDRESS

Customer Number Label:  
Mark L. Berrier  
(512) 457-7000 phone  
(512) 457-7070 fax



25094

PATENT TRADEMARK OFFICE

TYPED or PRINTED NAME Mark L. Berrier

REGISTRATION NO. 35,066

SIGNATURE [Signature]  
\AU4024752.1

Date 11/7/00

# FEE TRANSMITTAL for FY 2001

Patent fees are subject to annual revision.  
Small Entity payments must be supported by a small entity  
statement, otherwise large entity fees must be paid.

## Complete if Known

First Named Inventor	Steve King, et al.
Filing Date	November 7, 2000
Attorney Docket No.	CROSS1360-1
Customer No.	25094
Group / Art Unit	
Examiner Name	

TOTAL AMOUNT OF PAYMENT (\$ 982.00)

JP013 U.S. PTO  
09/10/2000  
11/07/00

### METHOD OF PAYMENT (check one)

1. ☐ The Commissioner is hereby authorized to charge indicated fees and credit any over payments to:  
Deposit Account Number **50-0456**  
Deposit Account Name **Gray Cary Ware & Freidenrich LLP**  
☒ Charge Any Additional Fee Required Under 37 CFR §§ 1.16 and 1.17

2. ☒ Payment Enclosed:  
☒ Check ☐ Money Order ☐ Other

### FEE CALCULATION

#### 1. BASIC FILING FEE

Large Entity		Small Entity		Fee Description	Fee Paid
Code	\$	Code	\$		
101	710	201	355	Utility Filing Fee	710
106	320	206	160	Design Filing Fee	
107	490	207	245	Plant Filing Fee	
108	710	208	355	Reissue Filing Fee	
114	150	214	75	Provisional Filing Fee	
<b>SUBTOTAL (1)</b>					<b>(\$ 710.00)</b>

#### 2. EXTRA CLAIM FEES

Claims	Extra Claims X	Fee from below =	Fee Paid
29	9	18	162
Ind. Clms 3	0	0	0
Multiple Dependent Claims			


Large Entity		Small Entity		Fee Description
Code	\$	Code	\$	
103	18	203	9	Claims in excess of 20
102	80	202	40	Indep. claims in excess of 3
104	270	204	135	Multiple dependent claim
109	80	209	40	Reissue indep. claims over original patent
110	18	210	9	Reissue claims in excess of 20 and over original patent
<b>SUBTOTAL (2)</b>				
<b>(\$ 162.00)</b>				

### FEE CALCULATION (continued)

#### 3. ADDITIONAL FEES

Large Entity		Small Entity		Fee Description	Fee Paid
Code	\$	Code	\$		
105	130	205	65	Surchrng - late filing fee or oath	
127	50	227	25	Surcharge - late provisional filing fee or cover sheet	
147	2520	147	2520	Filing a request for reexamination	
112	920*	112	920*	Request publication of SIR prior to Examiner action	
113	1840*	113	1840*	Request publication of SIR prior to Examiner action	
115	110	215	55	Extension for reply within first month	
116	380	216	190	Extension for reply within second month	
117	870	217	435	Extension for reply within third month	
118	1360	218	680	Extension for reply within fourth month	
119	300	219	150	Notice of Appeal	
120	300	220	150	Filing a brief in support of appeal	
121	260	221	130	Request for oral hearing	
138	1510	138	1510	Petition to institute a public use proceeding	
140	110	240	55	Petition to revive: unavoidable	
141	1210	241	605	Petition to revive: unintentional	
142	1210	242	605	Utility issue fee (or reissue)	
143	430	243	215	Design issue fee	
144	580	244	290	Plant issue fee	
122	130	122	130	Petitions to the Commissioner	
123	50	123	50	Petitions related to provisional applications	
126	240	126	240	Submission of Information Disclosure Statement	
581	40	581	40	Recording each patent assignment per property	40
146	690	246	345	Filing a submission after final rejection (37 CFR § 1.129(a))	
149	690	249	345	Each additional invention to be examined (37 CFR § 1.129(b))	
Other fee (specify) _____					
Other fee (specify) _____					
*Reduced by Basic Filing Fee Paid					<b>SUBTOTAL (3)</b>
					<b>(\$ 40.00)</b>

#### SUBMITTED BY:

Name	Mark L. Berrier	Registration No.	35,066	Telephone	(512) 457-7000
Signature		Date	November 7, 2000		

Complete (if applicable)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE	
<b>CERTIFICATE OF MAILING BY "EXPRESS MAIL"</b>	Atty Docket No. (Optional) <b>CROSS1360-1</b>
<b>Attn: Box Patent Application</b> Hon. Asst. Commissioner of Patents Washington, D.C. 20231	In the Application of: <b>STEVE KING, ET AL.</b>
	Date Filed: <b>November 7, 2000</b>
	Title: <b>A Method for Routing HTTP and FTP Services Across Heterogeneous Networks</b>


JCE13 U.S. PTO  
 09/10/00  
 11/07/00

Sir:

I hereby certify that the enclosures listed below are being deposited with the United States Postal Service "EXPRESS MAIL Post Office to Addressee" service under 37 C.F.R. § 1.10, Mailing Label Certificate No. EL562561698US, on November 7, 2000, addressed to Box Patent Application, Assistant Commissioner for Patents, Washington, DC 20231.

Respectfully submitted,

GRAY CARY WARE ▲ FREIDENRICH LLP

  
 Kerry Thornhill

Enclosures:

Postcard  
 Check Nos. 459332 & 459331  
 Utility Patent Application Transmittal  
 Fee Transmittal for FY 2001  
 Specification, 29 Claims, Abstract (31 pages)  
 4 Sheets of Drawings (Figures 1-4)  
 Declaration and Power of Attorney  
 Form PTO-1595  
 Assignment

A METHOD FOR ROUTING HTTP AND FTP SERVICES  
ACROSS HETEROGENEOUS NETWORKS

TECHNICAL FIELD OF THE INVENTION

5

The present invention relates in general to the field of electronic devices, and more particularly to an improved method and system for routing data such as HTTP and FTP data across heterogeneous networks.

10

BACKGROUND OF THE INVENTION

15

Networks may contain a variety of devices which are all coupled to a network medium. The "devices" may include not only individual devices, such as workstations and printers, but also other networks. Typically, the devices on a network are managed through a single one of the devices on the network which queries the other devices for information relevant to management of the system. If the queried devices are on a network other than the network to which the management device is connected, the queries are routed through the respective networks to the queried devices.

20

25

In some networks, management functions are performed through an administrator's workstation which is coupled to the network. The workstation may use a browser to retrieve information on the network devices. The browser is simply pointed to the appropriate devices and the web pages served by the devices are viewed by the administrator on the browser. Management

30

of the network may also involve the transfer of data from devices on the network to the administrator's workstation using file transfer protocols. (It should be noted that, while the examples herein generally refer to the management of network devices, the disclosed methods are applicable to other functions which involve the routing of data across heterogeneous networks.

Some systems may include networks which use different, incompatible protocols. For instance, a system may have an ethernet coupled to a Fibre Channel network. Such a system may be referred to as a heterogeneous network. The presence of the incompatible networks may, for example, result from the need for an esoteric or expensive medium to support particular devices such as storage units (e.g., in a storage area network, or SAN). While such an esoteric or expensive medium may be necessary for particular devices, it is often not suitable for distribution of data to devices such as an administrator's workstation.

In heterogeneous network systems, the specialized network (e.g., a Fibre Channel network) is normally a private network that can be accessed only within the system. In other words, it is not publicly accessible from external networks such as the internet. The specialized network is therefore often referred to as an "in-band" network. Conversely, the network to which it is coupled (which is typically externally accessible) is referred to as an "out-of-band" network.

Because the management of heterogeneous network systems is typically handled through an administrator's workstation on the out-of-band network, the incompatibility of the in-band and out-of-band protocols create some difficulty in accessing and managing the devices on the in-band network. In other words, where an administrator can easily request web pages from devices on homogeneous networks and receive responsive web pages, it is not a simple matter to retrieve web pages from devices on the in-band portion of a heterogeneous network.

There are a number of approaches to overcoming these difficulties. One potential solution to this problem would be to incorporate some of the traditional IP gateway functionality into a special purpose gateway to support both the in-band and out-of-band networks. The special purpose gateway would be used as the default gateway for the network and to route IP traffic between the networks. One of the drawbacks of this scheme is that most networks already have default gateway routers in place. Devices on the out-of-band network cannot be reconfigured to use both the special purpose gateway and the gateway that previously served as the default gateway. If the special purpose gateway does not incorporate all of the functionality of the original default gateway, connectivity to the rest of the corporate local area network (LAN) and the internet may be lost. On the other hand, including all of the functionality of the original default gateway requires extensive re-engineering and associated expense.

Another solution would be to use a special purpose proxy server that supports the in-band and out-of-band networks. The proxy would convert messages from one network into messages which are transportable on the other network. One of the drawbacks of this solution is very similar to the problem with the default gateway -- most corporate networks already have proxy servers for local clients, and the clients cannot be reconfigured to use the special purpose proxy server without losing connectivity to the existing (default) proxy server. Alternatively, building all of the functionality of the default proxy server into the special purpose proxy server would involve extensive re-engineering and would increase the cost so much that it would be impractical.

A third solution would be to provide all HTTP and FTP server functionality in the network to support both the in-band and out-of-band networks. This would involve using a custom protocol to retrieve data from the in-band devices. As a result, standard HTTP and FTP services could not be used in the in-band devices. Further, the development of a custom protocol would require a duplication of the engineering effort to address all of the same issues that have already been solved by the standards.

Another solution would be to try to incorporate the web pages for all the disparate devices into the one platform that has an interface to the out-of-band network. This creates another problem, however --

keeping the platform up to date if any of the web pages  
change. From an engineering point of view, this  
solution requires more intelligence to be concentrated  
in one spot than is desirable, and further requires  
5 substantial engineering in its own right.

Another solution would be to physically implement  
the out-of-band network so that each device, including  
those connected to the in-band network, is coupled to  
10 the out-of-band network and is accessible by the  
administrator. The problems with this solution include  
the expense of the additional hardware, the possibility  
that, physically, there may not be available space in  
the out-of-band network, and additional maintenance  
15 will likely be required as a result of the necessary  
hardware.

Yet another solution would be to require that the  
management workstation to be coupled directly to the  
20 in-band network. This typically is not practical  
because in-band networks such as Fibre Channel networks  
generally are not appropriate for distribution of data  
to the workstation.



SUMMARY OF THE INVENTION

One or more of the problems outlined above may be solved by the various embodiments of the invention which, broadly speaking comprises a method and system for routing data across heterogeneous networks.

In one embodiment of the invention, there is provided a system for routing data across a heterogeneous network. The heterogeneous network comprises a specialized in-band network that is privately accessible within the heterogeneous network, as well as an out-of-band network that is coupled to the in-band network by a switching platform such as a network switch. The out-of-band network may be accessible to and from external networks such as the internet via a default gateway, proxy server or similar means. A client is connected to the out-of-band network, and a server is connected to the in-band network.

In this embodiment, the client is configured to transmit a request for server data to the switching platform. The request is formatted according to the protocol of the out-of-band network and may take the form of a uniform resource locator (URL). The switching platform is configured to recognize the request as one which is directed to the server. The switching platform parses the request to determine the requested data and reformats this information as a new request that is transmitted to the server according to

the protocol of the in-band network. The server provides data responsive to the new request, which is transmitted back to the switching platform according to the protocol of the in-band network. The switching platform then reformats the responsive data according to the protocol of the out-of-band network and transmits it to the client.

In another embodiment, there is provided a method for routing data such as TCP service information across a heterogeneous network having an in-band network and an out-of-band network coupled to each other via a network switching platform. The method includes the steps of generating in a client on the out-of-band network a URL, transmitting the URL to the switching platform according to the protocol of the out-of-band network, parsing the request in the switching platform, reformatting the request as a new URL, transmitting the new URL to a server on the in-band network, generating data in the server in response to receiving the new URL, transmitting the data to the switching platform according to the protocol of the in-band network, reformatting the data in the switching platform and transmitting the data to the client according to the protocol of the out-of-band network. In this embodiment, the URL formulated by the client includes an address corresponding to the switching platform, a predetermined key word, an address corresponding to a server on the in-band network and a subject identifying the requested data. The switching platform receives

the URL, identifies the keyword, and parses the URL based upon a URL format indicated by the keyword.

One technical advantage of the present system and method is that they may simplify device management by allowing a unified FTP and/or HTTP interface to network components on both in-band and out-of-band networks. Yet another technical advantage of the present system and method is that they may allow each network component to independently provide HTTP and/or FTP services. This simplifies development efforts since changing the services on one component need not affect the services on other components. Still another technical advantage of the present system and method is that they may require no change to the client TCP, proxy or default gateway configurations. Yet another technical advantage of the present system and method is that they may leverage robust, existing standards and eliminate engineering effort that would otherwise be spent developing custom protocols.

BRIEF DESCRIPTION OF THE DRAWINGS

Other objects and advantages of the invention may become apparent upon reading the following detailed description and upon reference to the accompanying drawings in which:

FIGURE 1 is a functional block diagram of one embodiment of the present system;

FIGURE 2 a more detailed functional block diagram of the system illustrated in FIGURE 1.

FIGURE 3 is a flow diagram illustrating the method of operation of one embodiment of the present system; and

FIGURE 4 is an example of a universal resource locator employed by one embodiment of the present invention.

While the invention is subject to various modifications and alternative forms, specific embodiments thereof are shown by way of example in the drawings and the accompanying detailed description. It should be understood, however, that the drawings and detailed description are not intended to limit the invention to the particular embodiment which is described. This disclosure is instead intended to cover all modifications, equivalents and alternatives

Gray Cary\AU\4038606.1

DETAILED DESCRIPTION OF THE INVENTION

A preferred embodiment of the invention is described below. It should be noted that this and any other embodiments described below are exemplary and are intended to be illustrative of the invention rather than limiting.

Broadly speaking, the present invention comprises a method and system for routing data across heterogeneous networks. In one embodiment, a switching platform is used to reformulate queries generated by a client on one sub-network and to transmit the reformulated queries to a server on a different, incompatible sub-network. Data generated by the server in response to the queries is transmitted to the switching platform, which reformats the data and transmits it to the client. In a basic embodiment, a client on the first network generates a request for information, wherein the request contains an identifier which indicates that the request is intended for the server on the second network. When the switching platform detects the identifier, the request is reformatted and transmitted to the server. The response to the request is returned to the switching platform, which reformats it and forwards it to the client. It therefore appears to the client that the response was originated by the switching platform.

Referring to FIGURE 1, a functional block diagram of one embodiment of the present system is shown. In

this embodiment, heterogeneous network 10 comprises a first network 11 and a second network 12. Network 11 is a general-purpose local area network of a type used in many corporate environments. Network 11 may, for  
5 example, comprise an ethernet-based system to which a variety of workstations, printers and other devices are connected.

Network 12 is a special-purpose network which is  
10 coupled to general-purpose network 11. Network 12 provides connectivity to devices which are privately accessible within heterogeneous network 10. These devices may include a variety of specialized devices which, in order to maximize their performance, are  
15 coupled to a type of network other than the general-purpose network 12. For example, the devices may comprise a plurality of data storage units for a storage area network (SAN). In this instance, network 12 may be based upon a Fibre Channel network. Network  
20 10 is referred to as a heterogeneous network because the protocol used by network 12 is different from, and incompatible with, the protocol used by network 11

Because network 12 is privately accessible within  
25 heterogeneous network 10, it may be referred to as an in-band network. Network 11, on the other hand, may exchange data with an external network 13 such as the Internet and may therefore be referred to as an out-of-band network. As shown in FIGURE 1, the in-band and  
30 out-of-band networks are coupled to each other via a switching platform 14. As can also be seen from the

figure, switching platform 14 is separate from the default gateway 15, which connects the out-of-band network to the external network 13.

5           The present system makes it appear to the out-of-band network that the switching platform is actually the source of all the data/services (e.g., web pages) when in fact it is not. Because the in-band network is front ended by the switching platform, there is no way  
10       for a client to realize that the switching platform is performing a bridging function to other devices. Although they look like they are all provided by the switching platform, the data/services are distributed among the in-band network devices, which can be  
15       removed, replaced, or reconfigured as necessary. When the in-band network is reconfigured, the switching platform appears to have been automatically updated to reflect the reconfigured services.

20           The present system permits simply browsing to the switch in the same manner as to other servers on the out-of-band network. From the point of view of the client on the out-of-band network, it looks like the switch provides a sort of all encompassing service but,  
25       from an engineering standpoint, this is achieved without having to actually implement all of the included functions in a single piece of hardware. It allows a very flexible configuration with the requirement to change anything.



The present system does not require the reconfiguration or reassignment of the default gateway for the out-of-band network. As shown in FIGURE 1, the default gateway is separate from the switching platform and is not involved in the routing of the data between the in-band and out-of-band networks. The separation of the default gateway functions from those of the switching platform greatly simplifies the engineering of the switching platform, which does not have to be able to handle data which is destined for devices other than the ones connected to the in-band network.

The present system can also be implemented without requiring reconfiguration or reassignment of the proxy server for the out-of-band network. Just as with the default gateway, substantial engineering effort would be required to perform the functions of the proxy server in addition to providing connectivity to the in-band network. The system thereby simplifies handling of traffic between the in-band and out-of-band networks.

Referring to FIGURE 2, a more detailed block diagram of the system illustrated in FIGURE 1 is shown. out-of-band network 11 includes a variety of devices 21-23 which are connected to a network medium 20. In one embodiment, network medium 20 is an ethernet. In-band network 12 similarly includes a plurality of devices 25-27 which are connected to a second network medium 24. In this embodiment, network medium 24 is a Fibre Channel network. Ethernet network 20 and Fibre

Channel network 24 each employs a network protocol which is specifically designed for that type of network. Although both networks use TCP/IP upper-layer protocols, the respective physical layer protocols are incompatible. Consequently, data cannot simply be transmitted directly from one of the out-of-band network devices 21-23 to one of the in-band network devices 25-27. (It should be noted that the use of ethernet and Fibre Channel networks and TCP/IP or HTTP protocols in this system are illustrative of the invention, and other embodiments may use different network media or protocols.)

Out-of-band network 11 includes a client 21 which is used, at least in part, for the purpose of managing heterogeneous network 10. Client 21 may, for example, be a workstation which is used by a network administrator. The network administrator would typically use client 21 to request information from each of the devices in the network. In one embodiment, the network administrator runs a browser on client 21. The browser can be used to view a web page which includes hyperlinks to each of the network devices. When one of the hyperlinks is selected by the network administrator, an HTTP request is generated and transmitted to the device corresponding to the selected hyperlink. When the HTTP request is received by the device, a response (e.g., a responsive web page) is generated and transmitted back to the client. (Because the responding device serves a response to the HTTP request, it may be referred to as a server.) the web

page which is received by client 21 can then be viewed by the network administrator and used as necessary in the management of the network.

5           While this process is sufficient for the management of devices in out-of-band network 11, it is not sufficient for the management of devices in in-band network 12 because the in-band and out-of-band networks use incompatible protocols. Consequently, HTTP  
10 requests which are generated by client 21 cannot simply be transmitted to devices connected to in-band network 12 - these requests are not supported by the protocol of network medium 24. A means to convert the HTTP requests from the protocol of network medium 20 to the  
15 protocol of network medium 24 is necessary. This function is performed by switching platform 14.

Switching platform 14 has an interface to out-of-band network 11 (an ethernet port) which is configured  
20 to receive and transmit data which is formatted according to the protocol of that network. Likewise, switching platform 14 has an interface to in-band network 12 which is configured to transmit and receive data which is formatted according to the respective  
25 protocol. Switching platform 14 can therefore be thought of as having a server component 28 and a client component 29 - it acts as a server with respect to requests received from client 21, and acts as a client with respect to data which is served by server 27.  
30 Server component 28 is configured to transmit and receive data according to the out-of-band protocol,

while client component 29 is configured to transmit and receive data according to the in-band protocol. Server component 28 and client component 29 are configured to make any necessary translations or interpretations of data which is communicated between out-of-band network 11 and in-band network 12. It is important to note that the present system does not use the switching platform as a default gateway or proxy server for the out-of-band network - the system thereby avoids the problems associated with usurping the normal functions of these devices in most systems.

Referring to FIGURE 3, a flow diagram illustrating the method of operation of the present system is shown. When it is necessary for a network administrator to obtain information from one of the devices on the in-band network, a request for information (request 1) is formulated at the device on which the management function is being performed (the client). This request is formatted according to the protocol of the out-of-band network and transmitted over this network to the switching platform. When the request reaches the switching platform, the switching platform examines the request and identifies it as being directed to one of the devices on the in-band network. The switching platform then proceeds to parse the request so that it can identify the device to which the request should be forwarded, as well as the subject matter of the request. After the switching platform has identified the addressee and subject of the request, this information is used to construct a second request. The

second request is formatted according to the protocol of the in-band network and is transmitted to the addressee device (the server). In other words, the switching platform effectively converts the request  
5 originally generated by the client to a request which is properly formatted for transmission over the in-band network.

When the server device receives the request from  
10 the switching platform, it generates a response to the request. If the client is a browser which has requested a web page, the server device produces the appropriate web page and transmits it to the switching platform in a format consistent with the protocol of  
15 the in-band network. The switching platform receives the responsive data from the server device and reformats it for transmission over the out-of-band network. The reformatted data is then transmitted to the client device, which utilizes the data in the same  
20 manner as data received from devices connected to the out-of-band network.

It should be noted that, from the perspective of the client device on the out-of-band network, all of  
25 the devices on the in-band network from which information is requested appear to be a single device. This single device has the address of the switching platform and includes all of the functions of the in-band network devices. As far as the network management  
30 client is concerned, the network appears to be homogeneous. This is achieved by using a URL scheme

that is imposed upon the client's communications with the switching platform. (It should be noted that a URL scheme is used here because the management system is based on HTTP - other embodiments may use different protocols and different forms of data/service requests.)

The URL scheme is intended to facilitate a simple and flexible method for converting out-of-band-formatted requests and forwarding them to in-band devices. The URL that is originally generated by the out-of-band client includes specific information that the switching platform is configured to identify and recognize as indicating that the request should be passed on to an in-band network device. The information contained in the URL also allows the switching platform to quickly parse and interpret the information.

Referring to FIGURE 4, an exemplary URL 30 used in one embodiment of the present system and method is shown. The information contained in the URL includes the IP address of the switching platform 31, a key word that denotes a particular format for the information in the URL 32, the IP address of the remote device 33, and the subject of the request 34.

The IP address of the switching platform is obviously used to direct the URL to the switching platform. Because this address is not relevant to the

addressee device or the subject of the request, it can simply be discarded by the switching platform.

The IP address of the switching platform is followed by a key word. In the example illustrated in FIGURE 4, the key word is "Profile\_A." Any word may be used as a key word. "Profile\_A" indicates that the information is arranged in a particular manner. In this instance, the information is arranged with the switching platform address, then the key word, then the address of the destination device, then the subject of the request, each delimited by backslashes (\). In short, the key word is followed by a complete URL that can be forwarded to the destination device. Other key words may indicate that the information is arranged in a different fashion. For example, the key word "Profile\_B" may indicate that the URL contains additional, predefined types of information after the key word which have to be interpreted somehow before a URL can be generated and forwarded to the destination device. The use of key words to identify the types of information in the URL allows a great deal of flexibility in interpreting the URL and in accommodating developments relating to URLs and their structure or content. Based upon the key word, the switching platform can easily parse the URL to identify the respective types of information contained therein and construct a corresponding request (e.g., another URL) to the destination device.

As noted above, "Profile\_A" indicates that the IP address of the destination device will immediately follow the key word. Upon detecting this key word, the switching platform becomes aware that it needs to  
5 format the subsequent information as a URL to be transmitted over the in-band network. This URL will be addressed to the IP address of the destination device. It should be noted that the IP address of the destination device typically is not one that exists on  
10 the Internet. As mentioned above, the in-band network is a private network and is not accessible by external networks or devices. The IP address corresponding to the destination device is most likely one that is made up by the network administrator for use within the  
15 local area network. This a very common practice.

The URL scheme is flexible in that the switching platform does not need to know what is being retrieved or to understand most of what is in that URL. It just  
20 needs to see a few identifiable parts of the URL and can process it based on those parts. After the URL is processed, the switching platform can formulate a second URL and forward it to the destination device as if the switching platform were directly requesting the  
25 subject information.

While the present invention has been described with reference to particular embodiments, it should be understood that the embodiments are illustrative and  
30 that the scope of the invention is not limited to these embodiments. Many variations, modifications, additions



and improvements to the embodiments described above are possible. It is contemplated that these variations, modifications, additions and improvements fall within the scope of the invention as detailed within the following claims.

5

0  
1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
220

CLAIMS:

WHAT IS CLAIMED IS:

- 5        1.    A system for routing data across heterogeneous  
networks comprising:
- a first network having a first protocol;  
         a second network having a second protocol, wherein  
         the second protocol is incompatible with the  
10          first protocol;  
         a first device connected to the first network;  
         a second device connected to the second network;  
         and  
         a switch coupled between the first network and the  
15          second network;  
         wherein requests from the first device to the  
         second device are formatted according to the  
         first protocol and transmitted to the switch;  
         and  
20          wherein the switch is configured to detect the  
         requests and to reformat the requests  
         according to the second protocol and transmit  
         the requests to the second device.
- 25        2.    The system of claim 1 wherein the first network is  
an out-of-band network and the second network is an in-  
band network.

3. The system of claim 1 wherein the switch comprises an HTTP server coupled to an HTTP client, wherein the HTTP server is configured to receive the requests formatted according to the first protocol from the first device and wherein the HTTP client is configured to forward corresponding requests formatted according to the second protocol to the second device.

4. The system of claim 1 wherein the system further comprises a default gateway coupled to the first network.

5. The system of claim 1 wherein the system further comprises a proxy server coupled to the first network.

6. The system of claim 1 wherein the system further comprises a firewall which is separate from the switch.

7. The system of claim 1 wherein the request includes an IP address corresponding to the switch and information identifying the second device and the subject of the request.

8. The system of claim 1 wherein the switch is configured to receive the requests and to identify the requests as being directed to the second device.

[illegible]

10. A method for routing data across heterogeneous networks comprising:

formulating a first request for data in a first device;

5 transmitting the first request to a switching device via a first network, wherein the first request is transmitted according to a first protocol;

10 formulating in the switching device a second request corresponding to the first request; transmitting the second request to a second device via a second network, wherein the second request is transmitted according to a second protocol and wherein the second protocol is incompatible with the first protocol;

15 formulating a first response in the second device, wherein the first response is responsive to the second request;

20 transmitting the first response to the switching device via the second network, wherein the first response is transmitted according to the second protocol;

formulating in the switching device a second response corresponding to the first response;

25 and

transmitting the second response to the first device, wherein the response is transmitted according to the first protocol.

11. The method of claim 10 wherein the switching  
device comprises a server coupled to the first network  
and a client coupled to the second network, wherein  
transmitting the first request to the switching device  
5 comprises transmitting the first request to the server  
and wherein formulating the second request comprises  
the client formulating the second request.

12. The method of claim 10 wherein the first request  
10 and the second request ask for the same data.

13. The method of claim 10 wherein the first response  
and the second response provide the same data.

14. The method of claim 10 wherein formulating the  
15 requests comprises formulating HTTP requests.

15. The method of claim 10 wherein transmitting the  
first request to a switching device comprises  
20 transmitting the first request to a device other than a  
default gateway.

16. The method of claim 10 wherein transmitting the  
first request to a switching device comprises  
25 transmitting the first request to a device other than a  
proxy server.

17. The method of claim 10 wherein formulating the first request comprises formulating a uniform resource locator (URL) that includes an IP address corresponding to the switching device and information identifying the subject of the request.

18. The method of claim 17 wherein formulating the first request comprises formulating a URL that further comprises an address of the second device.

19. The method of claim 10 further comprising the switching device identifying the first request as being directed to a device connected to the second network.

20. The method of claim 19 further comprising the switching device formatting the subject of the first request in the second request and forwarding the second request to the second device.

21. The method of claim 19 further comprising the switching device identifying a keyword in the first request, wherein the keyword indicates the format of the information contained in the first request.

22. The method of claim 21 further comprising parsing the information contained in the first request according to the format identified by the keyword.

23. A network interface for enabling communications between a first network having a first protocol and a second network having a second protocol comprising:

a server configured to receive a first request

5 from a device on the first network, wherein the first request contains an indicator that the first request is directed to a device on the second network; and

10 a client coupled to the server and configured to receive information from the server indicating the device on the second network and the information requested from the device on the second network;

15 wherein the client is further configured to generate a second request and to transmit the second request to the device on the second network;

20 wherein the client is further configured to receive the requested information from the device on the second network and to convey the requested information to the server; and

25 wherein the server is configured to transmit the requested information to the device on the first network.

24. The network interface of claim 23 wherein the server is an HTTP server, the client is an HTTP client, and the first and second requests are uniform resource locators (URLs).

30



25. The network interface of claim 24 wherein the URL corresponding to the first request includes an address corresponding to the server and wherein the indicator comprises a predetermined key word.

5

26. The network interface of claim 25 wherein the URL corresponding to the first request contains a URL following the key word, wherein the client is configured to produce the URL following the key word as the URL corresponding to the second request.

10

27. The network interface of claim 23 wherein the TCP server is configured to detect URLs containing the key word and the TCP client is configured to generate new URLs corresponding to the detected URLs, wherein the new URLs do not contain the key word.

15

28. The network interface of claim 23 wherein the client is configured to generate requests which are formatted according to a physical layer protocol that is different than the physical layer protocol according to which the first request is transmitted to the server.

20

29. The network interface of claim 23 wherein the network interface comprises a switch containing the server and the client.

25

30

A METHOD FOR ROUTING HTTP AND FTP SERVICES  
ACROSS HETEROGENEOUS NETWORKS

ABSTRACT OF THE INVENTION

5

10


15

20


25

30


A method and system for routing data across heterogeneous networks. In one embodiment, a heterogeneous network comprises a specialized in-band network that is privately accessible within the heterogeneous network, as well as an out-of-band network that is coupled to the in-band network by a switching platform. A client on the out-of-band network is configured to transmit a request for server data to the switching platform. The request is formatted according to the protocol of the out-of-band network and may take the form of a uniform resource locator (URL). The switching platform is configured to recognize the request as one which is directed to a server on the in-band network. The switching platform parses the request to determine the requested data and reformats this information as a new request that is transmitted to the server according to the protocol of the in-band network. The server provides data responsive to the new request, which is transmitted back to the switching platform according to the protocol of the in-band network. The switching platform then reformats the responsive data according to the protocol of the out-of-band network and transmits it to the client. The switching platform is separate from the default gateway and proxy servers.



**FIGURE 1**



**FIGURE 2**



**FIGURE 3**

30  
↓  
HTTP://IP\_ADR\PROFILE\_A\IP\_ADR\_REMOTE\. . .  
31 32 33 34

FIGURE 4

Please type a plus sign (+) inside this box



PTO/SB/01

<b>DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63)</b>	Attorney Docket No. <b>CROSS1360-1</b>		
	First Named Inventor <b>STEVE KING, ET AL.</b>		
	<b>COMPLETE IF KNOWN</b>		
	Application Number		
	Filing Date		
	Group Art Unit		
<input checked="checked" type="checkbox"/> Declaration Submitted with Initial Filing <input type="checkbox"/> Declaration Submitted after Initial Filing		Examiner Name	

**As a below named inventor, I hereby declare that:**  
 My residence, post office address, and citizenship are as stated below to my name.  
 I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**A METHOD FOR ROUTING HTTP AND FTP SERVICES ACROSS HETEROGENEOUS NETWORKS**

*(Title of Invention)*

the specification of which was filed on (MM/DD/YYYY)   
 as United States Application Number of PCT International Application Number   
 and was amended on (MM/DD/YYYY) (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I hereby state I do not know and do not believe that said invention, design or discovery was ever known or used in the United States of America before my invention or discovery thereof, or patented or described in any printed publication in any country before my invention or discovery thereof, or more than one year prior to this application, or in public use or on sale in the United States of America more than one year prior to this application; that said invention, design or discovery has not been patented or made the subject of an inventor's certificate issued prior to the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns; and that I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me which is material to the patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached? YES                      NO

Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below:

Application Number(s)	Filing Date (MM/DD/YYYY)	Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto
<b>60/202,717</b>	<b>05/08/00</b>	<input type="checkbox"/>

**DECLARATION -- Utility or Design Patent Application**

6I hereby claim the benefit under 35 U.S.C. 120 of any United States Application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a below named inventor, I hereby appoint the registered practitioner(s) associated with **Customer Number 25094** to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:							
Given Name (first and middle [if any])				Family Name or Surname			
Steve				King			
Inventor's Signature						Date	
Residence Address	6390 S.W. Burlingame Avenue						
City	Portland	State	OR	Zip	97201	Country	United States
Citizenship	United States						
Post Office Address	same						
Name of Additional Inventor:							
Given Name (first and middle [if any])				Family Name or Surname			
Paul M., Jr.				Stillwell			
Inventor's Signature	<i>Paul M. Stillwell Jr.</i>					Date	10/27/00
Residence Address	20608 S.W. Mabel Street						
City	Aloha	State	OR	Zip	97006	Country	United States
Citizenship	United States						
Post Office Address	same						
Name of Additional Inventor:							
Given Name (first and middle [if any])				Family Name or Surname			
Chiayin				Mao			
Inventor's Signature	<i>Chiayin Mao</i>					Date	10/27/2000
Residence Address	16211 S.W. Marcile Lane						
City	Beaverton	State	OR	Zip	97007	Country	United States
Citizenship	Taiwan						
Post Office Address	same						

Direct all correspondence to Customer Number:



25094

PATENT TRADEMARK OFFICE

Name	Mark L. Berrier		
Telephone	(512) 457-7016	Fax	(512) 457-7070





**DECLARATION FOR  
UTILITY OR DESIGN  
PATENT APPLICATION  
(37 CFR 1.63)**

Attorney Docket No.

**CROSS1360-1**

First Named Inventor

**STEVE KING, ET AL.****COMPLETE IF KNOWN**

Application Number

Filing Date

Group Art Unit

Examiner Name

Declaration Submitted  
with Initial FilingDeclaration Submitted after  
Initial Filing**As a below named inventor, I hereby declare that:**

My residence, post office address, and citizenship are as stated below to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**A METHOD FOR ROUTING HTTP AND FTP SERVICES ACROSS HETEROGENEOUS NETWORKS**

(Title of Invention)

the specification of which was filed on (MM/DD/YYYY)

as United States Application Number of PCT International  
Application Number

and was amended on (MM/DD/YYYY) (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I hereby state I do not know and do not believe that said invention, design or discovery was ever known or used in the United States of America before my invention or discovery thereof, or patented or described in any printed publication in any country before my invention or discovery thereof, or more than one year prior to this application, or in public use or on sale in the United States of America more than one year prior to this application; that said invention, design or discovery has not been patented or made the subject of an inventor's certificate issued prior to the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns; and that I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me which is material to the patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO

Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below:

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto
<b>60/202,717</b>	<b>05/08/00</b>	

**DECLARATION -- Utility or Design Patent Application**

6I hereby claim the benefit under 35 U.S.C. 120 of any United States Application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (If applicable)

Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a below named inventor, I hereby appoint the registered practitioner(s) associated with **Customer Number 25094** to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:

Given Name (first and middle [if any])

Family Name or Surname

Steve

King

Inventor's  
Signature

Date

Oct 31, 2000

Residence Address

6390 S.W. Burlingame Avenue

City

Portland

State

OR

Zip

97201

Country

United States

Citizenship

United States

Post Office Address

same

Name of Additional Inventor:

Given Name (first and middle [if any])

Family Name or Surname

Paul M., Jr.

Stillwell

Inventor's  
Signature

Date

Residence Address

20608 S.W. Mabel Street

City

Aloha

State

OR

Zip

97006

Country

United States

Citizenship

United States

Post Office Address

same

Name of Additional Inventor:

Given Name (first and middle [if any])

Family Name or Surname

Chiayin

Mao

Inventor's  
Signature

Date

Residence Address

16211 S.W. Marcile Lane

City

Beaverton

State

OR

Zip

97007

Country

United States

Citizenship

Taiwan

Post Office Address

same

Direct all correspondence to Customer Number:



25094

PATENT TRADEMARK OFFICE

Name

Mark L. Berrier

Telephone

(512) 457-7016

Fax

(512) 457-7070